The listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:** 

1. (withdrawn) A method for reducing  $NO_x$  in lean exhaust gases to  $N_2$ , the method

comprising:

injecting a fuel into the exhaust gases; and

passing the exhaust gases and fuel mixture through a catalyst to reduce the  $NO_x$  in the

exhaust gases to N<sub>2</sub>.

2. (withdrawn) The method of claim 1, further comprising passing the  $NO_x$  reduced

exhaust gases through a partial oxidation catalyst.

3. (withdrawn) The method of claim 1, wherein the fuel is selected from the group

consisting of diesel fuel and gasoline.

4. (withdrawn) The method of claim 1, wherein the catalyst comprises a perovskite

compound represented by the formula AB<sub>1-x</sub>PM<sub>x</sub>O<sub>3</sub>, where A is a rare-earth metal, B is a

transition metal, PM is a precious metal, and O is oxygen.

5. (withdrawn) The method claim 4, wherein A comprises lanthanum, B comprises

manganese, PM comprises ruthenium, and x ranges from about 0.01 to 0.3.

6. (withdrawn) The method of claim 1, wherein the catalyst comprises at least one metal

oxide impregnated with at least one precious metal.

7. (withdrawn) The method of claim 6, wherein the metal oxide comprises one selected

from the group consisting of  $TiO_{2-x}$  and  $Al_2O_3$ .

8. (withdrawn) The method of claim 7, wherein x is 0.25.

9. (withdrawn) The method of claim 6, wherein the precious metal is selected from the

group consisting of Pt, Pd, Rh, Ru, Ir, and combinations thereof.

2

Reply to Office Action of: 6/24/2004

10. (withdrawn) The method of claim 1, wherein the catalyst comprises a zeolite impregnated with at least one precious metal.

- 11. (withdrawn) The method of claim 10, wherein the zeolite comprises one selected from the group consisting of MCM-41, ultrastabilized Y, NaY, H-ferrierite, AlPO<sub>4</sub>-5, and ZSM-5.
- 12. (withdrawn) The method of claim 8, wherein the zeolite is loaded with a metal selected from the group consisting of Cu, Ni, In, Ga, Ag, Co, and combinations thereof.
- 13. (withdrawn) The method of claim 1, wherein the catalyst comprises a combination of a zeolite and at least one metal oxide impregnated with at least one precious metal.
- 14. (withdrawn) The method of claim 13, wherein the metal oxide comprises Al<sub>2</sub>O<sub>3</sub>.
- 15. (withdrawn) The method of claim 13, wherein the precious metal comprises one selected from the group consisting of Pt, Pd, Rh, Ru, Ir, and combinations thereof.
- 16. (withdrawn) The method of claim 13, wherein the zeolite comprises one selected from the group consisting of MCM-41, ultrastabilized Y, NaY, H-ferrierite, AlPO<sub>4</sub>-5, and ZSM-5.
- 17. (Currently amended) An-A reductant injection system for reducing exhaust gas NO<sub>x</sub> reducing system in lean-burn engines, comprising:
- a catalytic reactor having an inlet end which receives the exhaust gases containing NO<sub>x</sub> and an outlet end which outputs converted exhaust gases, and a port;
- a <u>eatalyzed substratecatalyst</u> mounted inside the catalytic reactor for reducing  $NO_x$  in the received exhaust gases to  $N_2$  in the presence of a fuel, wherein the <u>catalyst</u> is <u>positioned</u> downstream of the port in <u>catalytic reactor</u>; and
- a fuel injector coupled to the port in the catalytic reactor and being positioned upstream of the catalyst for, wherein the fuel injector injecting injects the fuel in the exhaust gas upstream of the catalyzed substrate prior to the exhaust gas passing through the catalyst, wherein the fuel is used as a reductant.

Reply to Office Action of: 6/24/2004

18. (Currently amended) The system of claim 17, further comprising a partial oxidation

catalyst mounted downstream of the eatalyzed substratecatalyst.

19. (Original) The system of claim 17, wherein the fuel comprises one selected from a

group consisting of diesel fuel and gasoline.

20. (Original) The system of claim 17, wherein the catalyst comprises a perovskite

compound represented by the formula AB<sub>1-x</sub>PM<sub>x</sub>O<sub>3</sub>, where A is a rare-earth metal, B is a

transition metal, PM is a precious metal, and O is oxygen.

21. (Original) The system of claim 20, wherein A comprises lanthanum, B comprises

manganese, PM comprises ruthenium, and x ranges from about 0.01 to 0.3.

22.-32. (cancelled)

33. (withdrawn) A catalyst composition for reducing NO<sub>x</sub> in lean exhaust gases to N<sub>2</sub>

using a fuel as a reductant, comprising a perovskite compound represented by the formula

 $AB_{1-x}PM_xO_3$ , where A is a rare-earth metal, B is a transition metal, PM is a precious metal,

and O is oxygen.

34. (withdrawn) The catalyst composition of claim 33, wherein x ranges from about 0.01

to 0.3.

35. (withdrawn) The catalyst composition of claim 33, wherein A comprises lanthanum.

36. (withdrawn) The catalyst composition of claim 33, wherein B comprises manganese.

37. (withdrawn) The catalyst composition of claim 33, wherein PM comprises platinum.

38. (withdrawn) The catalyst composition of claim 33, wherein A comprises lanthanum,

B comprises manganese, PM comprises platinum, and x ranges from about 0.01 to 0.3.

4

Reply to Office Action of: 6/24/2004

39. (withdrawn) A catalyst composition for reducing  $NO_x$  in lean exhaust gases to  $N_2$  using a fuel as the reductant, comprising at least one metal oxide impregnated with at least one precious metal.

40. (withdrawn) The catalyst composition of claim 39, wherein the metal oxide comprises TiO<sub>2-x</sub>.

41. (withdrawn) The catalyst composition of claim 39, wherein the precious metal comprises one selected from the group consisting of Rh, Pt, Pd, Ir, Ru, and combinations thereof.

42. (withdrawn) A catalyst composition for reducing  $NO_x$  in lean exhaust gases to  $N_2$  using a fuel as a reductant, comprising a zeolite impregnated with at least one precious metal.

43. (withdrawn) The catalyst composition of claim 42, wherein the zeolite comprises one selected from the group consisting of MCM-41, ultrastabilized Y, NaY, AlPO<sub>4</sub>-5, H-ferrierite, and ZSM-5.

44. (withdrawn) The catalyst composition of claim 42, wherein the zeolite is loaded with a metal selected from the group consisting of Cu, Ni, In, Ga, Ag, Co, and combinations thereof.

45. (withdrawn) The catalyst composition of claim 42, wherein the precious metal comprises one selected from the group consisting of Pt, Pd, Rh, Ru, Ir, and combinations thereof.

46. (withdrawn) A catalyst composition for reducing  $NO_x$  in lean exhaust gases to  $N_2$  using a fuel as a reductant, comprising a combination of a zeolite and at least one metal oxide impregnated with at least one precious metal.

47. (withdrawn) The catalytic composition of claim 46, wherein the zeolite comprises one selected from the group consisting of MCM-41, ultrastabilized Y, NaY, H-ferrierite, AlPO<sub>4</sub>-5, and ZSM-5.

Reply to Office Action of: 6/24/2004

48. (withdrawn) The catalytic composition of claim 47, wherein the precious metal comprises one selected from the group consisting of Pt, Pd, Rh, Ru, Ir, and combinations

thereof.

49. (withdrawn) The catalytic composition of claim 47, wherein the metal oxide

comprises Al<sub>2</sub>O<sub>3</sub>.

50. (withdrawn) A catalytic unit for reducing NO<sub>x</sub> in lean exhaust gases to N<sub>2</sub> using a fuel

as a reductant, comprising a body extruded from a zeolite which is impregnated with at least

one precious metal.

51. (withdrawn) The catalyst unit of claim 50, wherein the zeolite comprises one selected

from the group consisting of MCM-41, ultrastabilized Y, NaY, H-ferrierite, AlPO<sub>4</sub>-5, and

ZSM-5.

52. (withdrawn) The catalyst unit of claim 50, wherein the zeolite is loaded with a metal

selected from the group consisting of Cu, Ni, In, Ga, Ag, Co, and combinations thereof.

53. (withdrawn) The catalytic unit of claim 50, wherein the precious metal comprises one

selected from the group consisting of Pt, Pd, Rh, Ru, Ir, and combinations thereof.

54. (withdrawn) A catalytic unit for reducing NO<sub>x</sub> in exhaust gases to N<sub>2</sub> using a fuel as a

reductant, comprising a ceramic substrate coated with at least one metal oxide impregnated

with at least one precious metal.

55. (withdrawn) The catalytic unit of claim 54, wherein the metal oxide comprises TiO<sub>2-x</sub>.

56. (withdrawn) The catalytic unit of claim 54, wherein the precious metal comprises one

selected from the group consisting of Pt, Pd, Rh, Ru, Ir, and combinations thereof.

57. (withdrawn) A catalytic unit for reducing NO<sub>x</sub> in exhaust gases to N<sub>2</sub> using a fuel as a

reductant, comprising a ceramic substrate coated with a perovskite compound represented by

6

Reply to Office Action of: 6/24/2004

the formula  $AB_{1-x}PM_xO_3$ , where A is a rare-earth metal, B is a transition metal, PM is a precious metal, and O is oxygen.

- 58. (withdrawn) The catalyst unit of claim 57, wherein A comprises lanthanum, B comprises manganese, PM comprises platinum, and x ranges from about 0.01 to 0.3.
- 59. (withdrawn) A catalytic unit for reducing  $NO_x$  in exhaust gases to  $N_2$  using a fuel as a reductant, comprising a ceramic substrate coated with a combination of a zeolite and at least one metal oxide impregnated with at least one precious metal.
- 60. (withdrawn) The catalytic unit of claim 59, wherein the zeolite comprises one selected from the group consisting of consisting of MCM-41, ultrastabilized Y, NaY, H-ferrierite, AlPO<sub>4</sub>-5, and ZSM-5.
- 61. (withdrawn) The catalytic unit of claim 59, wherein the precious metal comprises one selected from the group consisting of Pt, Pd, Rh, Ru, Ir, and combinations thereof.
- 62. (withdrawn) The catalytic unit of claim 59, wherein the metal oxide comprises Al<sub>2</sub>O<sub>3</sub>.